



ONAUTOMATION



ONAUTOMATION



SIRIO




Attuatore per cancelli scorrevoli fino a 5000 Kg

Motoriduttore elettromeccanico trifase autoventilato a 400V: ideale per cancelli scorrevoli di tipo industriale fino a 5000Kg di peso. Il riduttore a bagno d'olio garantisce ottime performance e una lunga durata nel tempo, in condizione di uso intensivo. La struttura in alluminio è trattata con vernice anticorrosiva per essere resistente agli agenti atmosferici. Il motoriduttore è dotato di una frizione meccanica con elettro freno per diminuire lo spazio di arresto ed una chiave per lo sblocco manuale di emergenza.

Operator for sliding gates up to 5000 Kg

Electromechanical 3-phases auto-ventilated gear motor, 400V, for industrial sliding gates up to 5000Kg of weight. The reliable motor and gearings work in oil bath and grant excellent performance and extreme durability with intensive use. Aluminium cover treated with anti-corrosion and weather-resistant paint. It works with a mechanical clutch with electro-brake to decrease stopping space and it has a key to operate the manual releasing system in case of emergency.



Caratteristiche tecniche Technical features



400V

Modello	Model	SL5000
Grado di protezione	Protection rating	IP54
Peso	Weight	43 Kg
Alimentazione	Power supply	400 VAC
Assorbimento	Power consumption	2,2 A
Potenza	Power	750 W
Intermittenza di lavoro	Intermittency	90 %
Coppia	Torque	225 Nm
Temperatura di esercizio	Operating temperature	-20/+55 °C



Caratteristiche principali

- Motore trifase per la massima potenza ed uso intensivo
- Frizione meccanica in bagno d'olio
- Elettro-freno e sblocco meccanico
- Scheda di comando interna e protetta
- Fine corsa elettromeccanico estensibile in apertura e chiusura

Main Features

- Three-phase motor for maximum power and intensive use
- Mechanical clutch in oil bath
- Electro-brake and mechanical release
- Built-in shielded control card
- Mechanical limit switch in opening and closing



Fine corsa e ingranaggi
Limit switch and gearings



Frizione meccanica e motoriduttore
Mechanical clutch and gear motor



Portello di sicurezza con chiave personale
Safety hatch with personal key

Codice Code	Descrizione	Description
SL5000	Attuatore per anta scorrevole 400V fino a 5000Kg per uso intensivo e industriale- scheda trifase, piastra di fissaggio, fincorsa regolabile, frizione meccanica	Actuator for sliding gates 400V up to 5000Kg for intensive industrial use - triphase control card, fixing plate, adjustable limit switch, mechanical clutch



MADE IN ITALY

DESIGNED BY **misurano**

The new ordinary for daily solutions



ONAUTOMATION

OnAutomation S.r.l.
Via A. Ferrero, 9
35133 Padova - Italy
+39 049 8876545
info@onautomation.com

www.onautomation.com

