



ON AUTOMATION



ON AUTOMATION





TITAN



Attuatore per cancelli scorrevoli fino a 2000 Kg


Motoriduttore elettromeccanico irreversibile a 230V. Ideale per cancelli scorrevoli di tipo industriale fino a 2000Kg. Lubrificazione completa del motore e di tutti i componenti a bagno d'olio per garantire un uso intensivo e la massima durata nel tempo.

Struttura in alluminio pressofuso, trattata con vernice anticorrosiva e coperchio metallico resistente agli agenti atmosferici. Motore con encoder di serie per rilevazione ostacoli e precisa gestione dei rallentamenti in apertura e chiusura. Centrale di comando con ricevente radio AM incorporata, protetta e rimovibile per facilitare l'installazione. Fine corsa magnetici di serie e sblocco a leva con chiave personale.



Operator for sliding gates up to 2000 Kg

Irreversible 230V electromechanical gear motor. Ideal for industrial sliding gates up to 2000Kg. Complete lubrication of the motor and all components in oil bath grants intensive use and maximum durability. Aluminum die-cast treated with anti-corrosion paint and weather/resistant cover. The motor comes with an encoder for obstacle detection and precise management of the slowing down in opening and closing. The control unit with a built-in radio receiver allows protection and is removable to facilitate installation. Magnetic limit switches as standard and lever release with personal key.



Caratteristiche tecniche - Technical features



230V

Modello	Model	SL2000A
Grado di protezione	Protection rating	IP54
Peso	Weight	15 Kg
Alimentazione	Power supply	230 VAC
Assorbimento	Power consumption	1,7 A
Potenza	Power	450 W
Intermittenza di lavoro	Intermittency	90 %
Tempo di apertura	Opening time	10,5 m/min
Condensatore	Capacitor	35 µF
Temperatura di esercizio	Operating temperature	-20/+55°C



Cancelli scorrevoli
Sliding gates



Caratteristiche principali

- Motore a bagno d'olio, per superiori performance e durata nel tempo
- Sblocco manuale con pratica leva e chiave personale
- Scheda di comando interna, facile da programmare, con ricevitore radio 433MHz integrato
- Codice radio rolling-code per garantire elevata sicurezza
- Encoder che consente una precisa gestione dei rallentamenti
- Fine corsa magnetici in apertura e chiusura
- Piastra di fissaggio regolabile in altezza

Main Features

- Oil bath lubricated motor for superior performance and durability
- Manual release with handy lever and personal key
- Easy to program, built-in control board, integrated 433Mhz radio receiver
- Radio rolling-code to grants higher safety
- Encoder permits safe and precise management of deceleration
- Magnetic limit switches for opening and closing
- Adjustable Fixing plate, in height



Leva sblocco con chiave personale
Release lever with personal key

Pratica scheda di comando elettronica
Handy electronic control board

Encoder magnetico
Magnetic encoder

Fine corsa magnetici
Magnetic limit switch

Codice <i>Code</i>	Descrizione	Description
SL2000A	Attuatore per anta scorrevole 230V fino a 2000Kg, a bagno d'olio per uso intensivo - scheda AM, piastra di fissaggio, finecorsa magnetico, encoder	Actuator for sliding gates 230V up to 2000Kg, oil bathed for intensive use - AM control card, fixing plate, magnetic limit switch, encoder



MADE IN ITALY

DESIGNED BY **musurano**

The new ordinary for daily solutions



ONAUTOMATION

OnAutomation S.r.l.

Via dell'Artigianato, 1
36034 - Molina di Malo (VI) - Italy
+39 0445 390565
info@onautomation.com

www.onautomation.com

